

City of Coppell

Retail Food Establishment Inspection Report

LR	4-17-15			FE-02-0103	3	Medium
San Code	Date	Time In	Time Out	Establishment Number	Previous Score	Risk Category

Purpose of Inspection: 1-Follow-Up **2-Routine** 3-Field Investigation 4-Pre-Opening 5-Other

Establishment: McDonald's	Owner: McDonald's
Physical Address: 125 S Denton Tap Rd	Zip: 75019 Phone: ()

OUT 5 Pts	IN	NA	NO	COS	Food Temperature/Time Requirements Violations Require Immediate Corrective Action	Remarks
			✓		1. Proper Cooling for Cooked/Prepared Food	
	✓				2. Cold Hold (41 degrees Fahrenheit /45 degrees Fahrenheit)	
	✓				3. Hot Hold (135 degrees Fahrenheit)	
	✓				4. Proper Cooking Temperatures	
			✓		5. Rapid Reheating (165 degrees Fahrenheit in 2 Hrs)	

Item/Location/Temperature
Cooler 34F-38F Time is used as public health control.

OUT 4 Pts	IN	NA	NO	COS	Personnel/Handling/Source Requirements Violations Require Immediate Corrective Action	Remarks
	✓				6. Personnel with Infections Restricted/Excluded	
	✓				7. Proper/Adequate Handwashing	
	✓				8. Good Hygienic Practices (Eating/Drinking/Smoking/Other)	
	✓				9. Approved Source/Labeling	
	✓				10. Sound Condition	
	✓				11. Proper Handling of Ready-To-Eat Foods	
	✓				12. Cross-contamination of Raw/Cooked Foods/Other	
	✓				13. Approved Systems (HACCP Plans/Time as Public Health Control)	
	✓				14. Water Supply – Approved Sources/Sufficient Capacity/Hot and Cold Under Pressure	

OUT 3 Pts	IN	NA	NO	COS	Facility and Equipment Requirements Violations Require Immediate Correction, Not To Exceed 10 Days	Remarks
	✓				15. Equipment Adequate to Maintain Product Temperature	
	✓				16. Handwash Facilities Adequate and Accessible	
	✓				17. Handwash Facilities with Soap and Towels	
	✓				18. No Evidence of Insect Contamination	
	✓				19. No Evidence of Rodents/Other Animals	
	✓				20. Toxic Items Properly Labeled/Stored/Used	
	✓				21. Manual/Mechanical Warewashing and Sanitizing at ()ppm/temperature	
	✓				22. Manager Demonstration of Knowledge/Certified Food Manager	
	✓				23. Approved Sewage/Wastewater Disposal System, Proper Disposal	
	✓				24. Thermometers Provided/Accurate/Properly Calibrated (±2 degrees Fahrenheit)	
3x	✓				25 Food Contact Surfaces of Equipment and Utensils Cleaned/Sanitized/Good Repair	
	✓				26. Posting of Consumer Advisories (Heimlich/Disclosure/Reminder/Buffer Plate)	
	✓				27. Food Establishment Permit	

Subtotal **Other Violations** – Require Corrective Action, Not to Exceed 90 Days or the Next Inspection, Whichever Comes First

5pt —
4pt —
3pt 3
Total 3
- clean frozen drink machine (COS)
- clean soda machine (COS)

Inspected by: Way Rahil, RS	Print: Way Rahil 972-462-5164
Received by: Carlos C.	Title: manager

F/U Yes/No **Yes**

FE-02-0103



CITY OF COPPELL
ENVIRONMENTAL HEALTH DEPARTMENT

WRITTEN NOTICE

Name of Establishment: McDonalds

Date: 4-17-15

Address: 125 S Denton Tap Rd

Purpose: Routine

Owner: _____

- Remove electric outlet off the floor under the soda machine.
- Personal items shall be stored away from food items (OS)
- Food products shall be stored 6 inches off the floor. (OS)
- Re-caulk around hand sink.
- Clean under shelves (OS)
- Clean floor surface by the water heater. (standing water)

X Carlos C

Received By:

Wayahil RS

Inspected By: