

City of Coppell

Retail Food Establishment Inspection Report

LR	2-7-15			FE-11-0019	3	Medium
San Code	Date	Time In	Time Out	Establishment Number	Previous Score	Risk Category

Purpose of Inspection: 1-Follow-Up 2-Routine 3-Field Investigation 4-Pre-Opening 5-Other

Establishment: Whataburger #1010 Owner: Whataburger
 Physical Address: 730 N Denton Tap Rd Zip: 75019 Phone: ()

OUT 5 Pts	IN	NA	NO	COS	Food Temperature/Time Requirements	Remarks
			✓		Violations Require Immediate Corrective Action	
					1. Proper Cooling for Cooked/Prepared Food	
	✓				2. Cold Hold (41 degrees Fahrenheit /45 degrees Fahrenheit)	
	✓				3. Hot Hold (135 degrees Fahrenheit)	
	✓		✓		4. Proper Cooking Temperatures	
			✓		5. Rapid Reheating (165 degrees Fahrenheit in 2 Hrs)	

Item/Location/Temperature
 - Cooler = 34°F-38°F
 - Gravy = 140°F

OUT 4 Pts	IN	NA	NO	COS	Personnel/Handling/Source Requirements	Remarks
					Violations Require Immediate Corrective Action	
	✓				6. Personnel with Infections Restricted/Excluded	
	✓				7. Proper/Adequate Handwashing	
	✓				8. Good Hygienic Practices (Eating/Drinking/Smoking/Other)	
	✓				9. Approved Source/Labeling	
	✓				10. Sound Condition	
	✓				11. Proper Handling of Ready-To-Eat Foods	
	✓				12. Cross-contamination of Raw/Cooked Foods/Other	
	✓				13. Approved Systems (HACCP Plans/Time as Public Health Control)	
	✓				14. Water Supply - Approved Sources/Sufficient Capacity/Hot and Cold Under Pressure	

OUT 3 Pts	IN	NA	NO	COS	Facility and Equipment Requirements	Remarks
					Violations Require Immediate Correction, Not To Exceed 10 Days	
	✓				15. Equipment Adequate to Maintain Product Temperature	
	✓				16. Handwash Facilities Adequate and Accessible	
	✓				17. Handwash Facilities with Soap and Towels	
	✓				18. No Evidence of Insect Contamination	
	✓				19. No Evidence of Rodents/Other Animals	
	✓				20. Toxic Items Properly Labeled/Stored/Used	
	✓				21. Manual/Mechanical Warewashing and Sanitizing at ()ppm/temperature	
	✓				22. Manager Demonstration of Knowledge/Certified Food Manager	
	✓				23. Approved Sewage/Wastewater Disposal System, Proper Disposal	
	✓				24. Thermometers Provided/Accurate/Properly Calibrated (±2 degrees Fahrenheit)	
3x	✓				25. Food Contact Surfaces of Equipment and Utensils Cleaned/Sanitized/Good Repair	
	✓				26. Posting of Consumer Advisories (Heimlich/Disclosure/Reminder/Buffer Plate)	
	✓				27. Food Establishment Permit	

Subtotal **Other Violations** - Require Corrective Action, Not to Exceed 90 Days or the Next Inspection, Whichever Comes First

5pt 25 clean rice machine, (just build-up)
 4pt
 3pt - small cooler is leaking water. (Repair immediately)

Total 3 Inspected by: Way Bahil RS Print: Way Bahil 972-462-5164

F/U Yes/No (No) Received by: [Signature] Print: [Signature] Title: manager